




Display Mounts



HDMI & Audio/Video



Peripherals



Cables & Adapters



Shown: #102230
Power Delivery Charging Station
with Qi™ Wireless Charging Pad - 55 W

New Power Delivery Products
and many more



Product Catalog 2020 | manhattanproducts.com

The **manhattan**® ADVANTAGE



30 Years of Market Experience

Founded in 1987, Manhattan was one of the first European-owned cable companies in Taiwan.



ISO 9001:2015 Certified

You can count on service and performance in accordance with ISO 9001:2015.



Global Expertise, Global Mentality

With offices in North America, Europe and Asia, we're keen on international market needs and can swiftly overcome challenges on a global scale.



Strength In Connectivity

Our versatile cables and adapters simplify complex connections for any interface, so consumers get the most out of their devices each day.



Guaranteed Quality

Our In-house quality-control teams test each product before it's shipped to personally ensure the excellence that is synonymous with the Manhattan brand.



Superior Warranty

Because we're dedicated to excellent quality, we offer 3-year warranties for all products with circuit boards and lifetime warranties for all others.



Dedicated Account Managers

Our account managers make sure to get to know your business and provide solutions for your benefit. We have the industry expertise and product familiarity for you to buy with confidence.



Digital Convenience

We provide a sophisticated CSV file and a digital version of this catalog to comfortably import our content into your webshop.



Asia Direct Volume Shipments

Get 15 - 25% additional gross margin with purchasing directly from Asia. We mitigate the risks and show you the keys to effective importing.



Payment Terms for Qualified Customers

Optimize your cash flow by benefitting from our products and services while getting payment flexibility. We are glad to examine the payment terms you are eligible for together with you.

manhattanproducts.com

TABLE OF CONTENTS

MOUNTS

TV MOUNTS | 4-12

MONITOR MOUNTS | 13-15

PROJECTOR MOUNTS | 16

HDMI & AUDIO/VIDEO

HDMI EXTENDERS | 17-19

HDMI SPLITTERS | 20

HDMI SWITCHES | 21-22

HDMI MATRIX SWITCHES | 23

HDMI TECH OVERVIEW | 24

HDMI CABLES | 25-27

DISPLAYPORT & MINI-DISPLAYPORT CABLES | 28

DVI CABLES | 29

VGA & SVGA CABLES | 30

AV CONVERTERS & ADAPTERS - USB-C | 31-33

MST PRODUCTS | 34-35

AV CONVERTERS & ADAPTERS - USB-A | 36

AV CONVERTERS & ADAPTERS - NON-USB | 37-40

CABLES & DATA COMMUNICATIONS

SERIAL/PARALLEL CONVERTERS | 41

CONVERTERS/ADAPTERS - NON-AV | 42

CONVERTERS/ADAPTERS - SATA | 43-44

USB HUBS | 45-48

NETWORK ADAPTERS | 49

CARD READERS | 50-51

USB CABLES | 52-55

LIGHTNING CABLES | 56

POWER SUPPLIES & ACCESSORIES

USB 3.2 AND POWER DELIVERY TECH OVERVIEW | 57

GAN TECH POWER DELIVERY CHARGER | 58

POWER DELIVERY WALL CHARGERS | 59

POWER DELIVERY CHARGING STATIONS | 60

WIRELESS CHARGING PADS | 61

CAR CHARGERS & MOUNTS | 62

USB CHARGING STATIONS | 63

POWER CABLES | 64

PERIPHERALS & ACCESSORIES

BARCODE SCANNERS | 65-67

KVM SWITCHES | 68

MICE | 69

NOTEBOOK BAGS & ACCESSORIES | 70

AUDIO PRODUCTS | 71

NETWORK SWITCHES & INTERFACE CARDS | 72

TOOL KITS, CLEANING & SECURITY LOCKS | 73

SEE ALL OUR
ADAPTERS
AND CONVERTERS
STARTING
ON PAGE 31



Adjustable
Options



Secure
Hold



Durable
Construction



Easy
Installation



TV MOUNTS

Barcode	Supported Size	Supported Weight	Tilt	Swivel	Note	Main Material
423700	13" to 27"	15 kg	±15°	180°	Single-Jointed Arm	Steel
423670	13" to 27"	15 kg	±15°	±180°	Double-Jointed Arm	Steel
460965	13" to 27"	15 kg	±45°	±90°	Single-Jointed Arm	Aluminum
460958	13" to 27"	15 kg	±70°	±90°	Double-Jointed Arm	Aluminum
461382	13" to 27"	20 kg	+5° to -12°	±90°	Double-Jointed Arm	Steel
423717	13" to 32"	20 kg	-15° to 10°	-	-	Steel
461399	13" to 42"	20 kg	+5° to -12°	±90°	Single-Jointed Arm	Steel
461405	13" to 42"	20 kg	+5° to -12°	±45°	Double-Jointed Arm	Steel
423731	23" to 42"	30 kg	-	-	Low-Profile	Steel
423748	23" to 42"	20 kg	±15	180°	Single-Jointed Arm	Aluminum
423755	23" to 42"	20 kg	±15	±180°	Double-Jointed Arm	Aluminum
460934	32" to 55"	40 kg	-	-	Low-Profile	Steel
460941	32" to 55"	35 kg	0° to -14°	-	-	Steel
461313	32" to 55"	30 kg	±15°	80°	Ultra Slim Design	Aluminum
461450	32" to 55"	35 kg	±12°	-	Integrated Storage Area	Steel
461320	32" to 55"	35 kg	+10° to -15°	±90°	-	Steel
461344	32" to 55"	40 kg	-15° to 5°	±60°	±3° Level Adjustment	Steel
461252	32" to 55"	50 kg	-20° to 10°	180°	-	Steel
461306	32" to 55"	50 kg	-15° to 5°	±60°	±2.5° Level Adjustment	Aluminum
461474	32" to 55"	80 kg	-10° to 5°	-	Post-Leveling Adjustment	Steel
461641	21" to 60"	30 kg	±10°	±90°	Gas Spring Mount	Steel
461214	37" to 63"	60 kg	±15°	120°	Allows Corner Mounting	Steel
423625	37" to 70"	50 kg	0° to -15°	360°	Ceiling mount	Steel
461412	37" to 70"	35 kg	-8° to -15°	-	Portable Tripod	Steel
461467	37" to 70"	35 kg	±12°	-	Integrated Storage Area	Steel
461337	37" to 70"	35 kg	+10° to -15°	±90°	-	Steel
461351	37" to 70"	40 kg	-15° to 5°	±60°	±3° Level Adjustment	Steel
461283	37" to 70"	50 kg	-20 to +10°	±90°	-	Steel
424752	37" to 70"	75 kg	0° to -10°	-	-	Steel
461481	37" to 80"	80 kg	-10° to +5	-	Post-Leveling Adjustment	Steel
461238	37" to 70"	50 kg	±10°	-	TV Cart	Steel
461245	37" to 70"	50 kg	-12° to +5	-	TV Cart	Aluminum
461665	37" to 100"	150 kg	-	-	Heavy-Duty TV Cart	Steel
461702	45" to 70"	70 kg	-5° to 3°	-	Video-Wall TV Mount	Steel
461719	45" to 70"	70 kg	-5° to 3°	-	Premium Video-Wall TV Mount	Steel
461825	40" to 70"	35 kg	+5° to -15°	-	Above-Fireplace TV Mount	Steel
423830	37" to 85"	75 kg	±10°	-	-	Steel
461290	37" to 90"	75 kg	±60°	-	±3° Level Adjustment	Steel
461221	60" to 100"	80 kg	-15° to 5°	±45°	±3° level adjustment	Steel



Universal Flat-Panel TV Articulating Wall Mount

[423700] Single Arm, Supports One 13" to 27" TV up to 15 kg (33 lbs.), Optimize views with $\pm 15^\circ$ tilt and 180° swivel adjustments



Universal Flat-Panel TV Articulating Wall Mount

[423670] Double Arm, Supports One 13" to 27" TV up to 15 kg (33 lbs.), Optimize views with $\pm 15^\circ$ tilt and 180° swivel adjustments




Universal Flat-Panel TV Articulating Wall Mount

[460965] Single Arm, Supports One 13" to 27" TV up to 15 kg (33 lbs.), Optimize views with $\pm 45^\circ$ tilt and $\pm 90^\circ$ swivel adjustments




Universal Flat-Panel TV Articulating Wall Mount

[460958] Double Arm, Supports One 13" to 27" TV up to 15 kg (33 lbs.), Optimize views with $\pm 70^\circ$ tilt and $\pm 90^\circ$ swivel adjustments



Universal Flat-Panel TV Articulating Wall Mount

[461382] Double Arm, Supports One 13" to 27" TV up to 20 kg (44 lbs.) Optimize views with $+5^\circ$ to -12° tilt, $\pm 90^\circ$ swivel and $\pm 3^\circ$ level adjustment




Universal Flat-Panel TV Tilting Wall Mount

[423717] Supports One 13" to 32" TV up to 20 kg (44 lbs.), Optimize views with -15° to 10° tilt adjustment



Universal Flat-Panel TV Articulating Wall Mount

[461399] Single Arm, Supports One 13" to 42" TV up to 20 kg (44 lbs.), Optimize views with +5° to -12° tilt, ±90° swivel and ±3° level adjustment



Universal Flat-Panel TV Articulating Wall Mount

[461405] Double Arm, Supports One 13" to 42" TV up to 20 kg (44 lbs.) Optimize views with +5° to -12° tilt, ±45° swivel and ±3° level adjustment



Universal Flat-Panel TV Ultra Slim Wall Mount

[423731] Supports One 23" to 42" TV up to 30 kg (66 lbs.), Ultra-low profile, fixed installation



Universal Flat-Panel TV Articulating Wall Mount

[423748] Single Arm, Supports One 23" to 42" up to 20 kg (44 lbs.), Optimize views with ±15° tilt and 180° swivel adjustments



Universal Flat-Panel TV Articulating Wall Mount

[423755] Double Arm, Supports One 23" to 42" TV up to 20 kg (44 lbs.), Optimize views with ±15° tilt and 180° swivel adjustments



Universal Flat-Panel TV Low-Profile Wall Mount

[460934] Supports One 32" to 55" TV up to 40 kg (88 lbs.), Low-profile, fixed installation



Universal Flat-Panel TV Tilting Wall Mount

[460941] Supports One 32" to 55" TV up to 35 kg (77 lbs.); Optimize views with 0° to -14° tilt adjustment



Universal Ultra Slim Aluminum LCD Full-Motion Large-Screen Wall Mount

[461313] Supports One 32" to 55" TV up to 30 kg (66 lbs.); Optimize views with -15° to +15° tilt, 80° swivel and ±5° level adjustment




Universal Flat-Panel TV Tilting Wall Mount with Integrated Storage Area

[461450] Supports One 32" to 55" TV up to 35 kg (77 lbs.); Optimize views with -12° to +12° tilt adjustment



Universal Basic LCD Full-Motion Wall Mount

[461320] Supports One 32" to 55" TV up to 35 kg (77 lbs.); Optimize views with +10° to -15° tilt, ±90° swivel, ±3° level adjustment



Universal Basic LCD Full-Motion Wall Mount

[461344] Supports One 32" to 55" TV up to 40 kg (88 lbs.); Optimize views with -15° to 5° tilt, ±60° swivel, ±3° level Adjustment




Universal Flat-Panel TV Full-Motion Wall Mount

[461252] Single Arm, Supports One 32" to 55" TV up to 50 kg (110 lbs.); Optimize views with -20° to 10° tilt and 180° swivel adjustment



Universal Aluminum LCD Full-Motion Wall Mount

[461306] Supports One 32" to 55" TV up to 50 kg (110 lbs.); Optimize views with -15° to 5° tilt, ±60° swivel and ±2.5° level adjustment




Universal Flat-Panel TV Tilting Wall Mount with Post-Leveling Adjustment

[461474] Supports One 32" to 55" TV up to 80 kg (176 lbs.); Optimize views with -10° to 5° tilt adjustment



Universal Gas Spring TV Mount

[461641] Single Gas-Spring Jointed Arm, Supports One 21" to 60" TV, up to 30 kg (66 lbs.); Optimize views with ±10° tilt, ±90° swivel and ±180° rotation



Universal LCD Full-Motion Corner Wall Mount

[461214] Supports One 37" to 63" TV up to 60 kg (132 lbs.); Optimize views with ±15° tilt, 120° swivel, ±5° level adjustment




Universal Flat-Panel TV Ceiling Mount

[423625] Supports One 37" to 70" TV up to 50 kg (110 lbs.); Optimize views with 0° to -15° tilt and 360° swivel adjustments




Universal Portable TV Mount Tripod

[461412] Supports One 37" to 70" TV up to 35 kg (77 lbs.); -8° - 0° Tilt



Universal Flat-Panel TV Tilting Wall Mount with Integrated Storage Area

[461467] Supports One 37" to 70" TV up to 35 kg (77 lbs.); Optimize views with -12° to +12° tilt adjustment



Universal Basic LCD Full-Motion Wall Mount

[461337] Supports One 37" to 70" TV up to 35 kg (77 lbs.); Optimize views with +10° to -15° tilt, ±90° swivel and ±3° level adjustment



Universal Basic LCD Full-Motion Wall Mount

[461351] Supports One 37" to 70" TV up to 40 kg (88 lbs.); Optimize views with -15° to 5° tilt, ±60° swivel and ±3° level adjustment



Universal Flat-Panel TV Full-Motion Wall Mount

[461283] Single Arm, Supports One 37" to 70" TV up to 50 kg (110 lbs.); Optimize views with full-motion -20 to +10° tilt and 180° swivel adjustments



Universal Flat-Panel TV Tilting Wall Mount

[424752] Supports One 37" to 70" TV up to 75 kg (165 lbs.); Optimize views with 0° to -10° tilt adjustment



Universal Flat-Panel TV Tilting Wall Mount with Post-Leveling Adjustment

[461481] Supports One 37" to 80" TV up to 80 kg (176 lbs.); Optimize views with -10° to +5° tilt adjustment



Universal Heavy Duty TV Cart

[461665] Supports One 37" to 100" TV, AV Shelf,

- Multifunctional TV cart/trolley
 - Offers A/V component shelf for more storage space
 - Provides support shelf for equipment or material storage
 - Includes commercial-grade locking casters for stability and a firm lock for parking
 - Meets VESA standards: 200x200, 300x200, 300x300, 400x200, 400x300, 400x400, 600x400, 800x400, 800x600
-



Universal Economy Multimedia TV Cart

[461238] Holds 37" to 70" TVs; +/- 10° tilt; removable camera and AV shelf

- Multifunctional TV cart/trolley
 - Adjustable flat-panel placement along poles for perfect viewing height
 - Adjustable component shelf for more storage space
 - Heavy-duty casters with reinforced design to support equipment weight and allow for swift maneuverability
 - Meets VESA standards: 200 x 200, 300 x 300, 400 x 200, 400 x 400 & 600 x 400, 600 x 400
-



Universal Multimedia TV Cart

[461245] Holds 37" to 70" TVs; -12 +/- 5° tilt; 90° TV rotation; removable camera and AV shelf

- Multifunctional TV cart/trolley
 - Adjustable component shelf for more storage space
 - Internal cable management for a clutter-free appearance
 - Heavy-duty casters with reinforced design to support equipment weight and allow for swift maneuverability
 - Meets VESA standards: 200 x 200, 300 x 300, 400 x 200, 400 x 400, 600 x 400
-





Video-Wall Premium TV Mount

[461719] Supports one 45" to 70" TV up to 70 kg (154 lbs.), Pop-Out Extension Mode

- Meets VESA standards - supports TVs from 45" to 70" up to 70 kg (154 lbs.)
- Tilt-adjustment options from -5° to 3° for optimal views
- Micro-adjustment options (up, down, tilt out, tilt in, rotate left and rotate right) for seamless display alignment



Video-Wall TV Mount

[461702] Supports One 45" to 70" TV up to 70 kg (154 lbs.)

- Meets VESA standards - supports TVs from 45" to 70" up to 70 kg (154 lbs.)
- Tilt-adjustment options from -5° to 3° for optimal views
- Micro-adjustment options (up, down, tilt out, tilt in, rotate left and rotate right) for seamless display alignment



Above Fireplace TV Wall Mount

[461825] Supports One 40" to 70" Flat-Panel TV up to 35 kg (77 lbs.); Adjustment Options to Tilt, Swivel and Rotate

- Securely holds one flat-panel television
- Supports one 40" to 70" TV up to 35 kg (77 lbs.)
- Height adjustment to 68.6 cm (27 in.)
- Optimized views with +5° to -15° tilt, up to +/- 45° swivel and +/- 16° rotation
- Meets VESA standards: 200x200, 300x300, 400x200, 400x400, 600x400




Universal Flat-Panel TV Tilting Wall Mount

[423830] Supports One 37" to 85" TV up to 75 kg (165 lbs.); Optimize views with $\pm 10^\circ$ tilt adjustment



Universal LCD Full-Motion Large-Screen Wall Mount

[461290] Supports One 37" to 90" TV up to 75 kg (165 lbs.); Optimize views with -15° to 5° tilt, $\pm 60^\circ$ swivel and $\pm 3^\circ$ level adjustment



Universal LCD Full-Motion Large-Screen Wall Mount

[461221] Supports One 60" to 100" TV up to 80 kg (176 lbs.); Optimize views with -15° to 5° tilt, $\pm 45^\circ$ swivel, $\pm 3^\circ$ level adjustment

Barcode	Number of Displays	Supported Size	Supported Weight (per display)	Tilt	Swivel	Rotation	Arm Joint	Mount Style	Note
422840	1	13" to 22"	15 kg	-	-	-	-	Wall	
432351	1	13" to 22"	12 kg	±90°	±90°	360°	Single	Wall	
461429	1	13" to 27"	6 kg	±90°	±25°	±180°	Double	Stand	Gas Spring, 2 USB Ports
423786	1	13" to 27"	15 kg	±15°	±90°	-	Double	Clamp	
461542	1	13" to 32"	8 kg	±45°	±90°	360°	Double	Clamp	
420808	2	13" to 24"	6 kg	±90°	±90°	±180°	Double	Clamp	
461528	2	13" to 32"	8 kg	±45°	±90°	±180°	Double	Clamp	
461559	2	13" to 32"	8 kg	±45°	±90°	±180°	Double	Stand	
461658	3	13" to 27"	7 kg	±45°	±90°	±180°	Double	Clamp	
461566	4	13" to 32"	8 kg	±45°	±90°	±180°	Double	Clamp	
461573	1	17" to 32"	8 kg	±35°	±90°	±180°	Single	Clamp	Gas Spring
461603	1	17" to 32"	8 kg	±35°	±90°	±180°	Single	Wall	Gas Spring
461580	1	17" to 32"	8 kg	±35°	±90°	±180°	Double	Clamp	Gas Spring
461610	1	17" to 32"	8 kg	±35°	±90°	±180°	Double	Wall	Gas Spring
461597	2	17" to 32"	8 kg	±35°	±90°	±180°	Double	Clamp	Gas Spring
461627	2	17" to 32"	8 kg	±35°	±90°	±180°	Double	Wall	Gas Spring



LCD Wall Mount

[422840] Fixed mount, Supports One Monitor up to 22" and 15 kg (33 lbs.)



Monitor Wall Mount

[432351] Adjustable, Supports One Monitor up to 22" and 12 kg (26 lbs.), Optimizes views with ±90° tilt, ±90° swivel and 360° rotation



Universal Desktop Counterbalance Monitor Stand

[461429] Supports One 13" to 27" Monitor up to 6 kg (13 lbs.), Optimizes views with ±90° tilt, ±25° swivel and ±180° rotation, Free Standing, Gas-Spring Adjustable, Includes Two Pass-Through USB Ports



LCD Monitor Pole

[423786] Supports One 13" to 27" Monitor up to 15 kg (33 lbs.), double-link swing arm, Optimizes views with ±15° tilt, 180° swivel and height adjustments




Universal Monitor Mount with Double-Link Swing Arm

[461542] Supports One 13" to 32" Monitor up to 8 kg (17 lbs.), Optimizes views with $\pm 45^\circ$ tilt and 360° rotation



LCD Monitor Mount with Double-Link Swing Arms

[420808] Supports Two 13" to 24" Monitors up to 6 kg (13 lbs.) each, Optimizes views with 180° tilt and 180° rotation




Universal Dual Monitor Mount with Double-Link Swing Arms

[461528] Supports Two 13" to 32" Monitors up to 8 kg (17 lbs.) each Double-link swing arms with separate $\pm 45^\circ$ tilt, $\pm 180^\circ$ rotation and variable height adjustments



Universal Dual Monitor Stand with Double-Link Swing Arms

[461559] Holds One 13" to 32" LCD Monitor up to 8 kg (17 lbs.), Double-link swing arms with separate $\pm 45^\circ$ tilt, $\pm 180^\circ$ rotation and variable height




LCD Monitor Mount with Center Mount and Double-Link Swing Arms

[461658] Supports Three 13" to 32" Monitors up to 7 kg (15.43 lbs.) each, One Center Mounted and Two on Double-Link Swing Arms, separate $\pm 45^\circ$ tilt, $\pm 180^\circ$ rotation and height adjustments



Universal Four Monitor Mount with Double-Link Swing Arms

[461566] Supports Four 13" to 32" Monitors up to 8 kg (17 lbs.) each, Double-link swing arms with separate $\pm 45^\circ$ tilt, $\pm 180^\circ$ rotation and height adjustments




Universal Gas Spring Monitor Mount

[461573] Single Gas-Spring Arm, Supports One 17" to 32 Monitor up to 8 kg (17.64 lbs.), Tilt: $\pm 35^\circ$, Swivel: $\pm 90^\circ$, Rotate: $\pm 180^\circ$




Universal Gas Spring Monitor Mount

[461580] Single Gas-Spring Jointed Arm, Supports One 17" to 32 Monitor up to 8 kg (17.64 lbs.), Tilt: $\pm 35^\circ$, Swivel: $\pm 90^\circ$, Rotate: $\pm 180^\circ$




Universal Gas Spring Monitor Wall Mount

[461603] Single Gas-Spring Arm, Supports One 17" to 32 Monitor up to 8 kg (17.64 lbs.), Tilt: $\pm 35^\circ$, Swivel: $\pm 90^\circ$, Rotate: $\pm 180^\circ$




Universal Gas Spring Monitor Wall Mount

[461610] Single Gas-Spring Jointed Arm, Supports One 17" to 32 Monitor up to 8 kg (17.64 lbs.), Tilt: $\pm 35^\circ$, Swivel: $\pm 90^\circ$, Rotate: $\pm 180^\circ$



Universal Gas Spring Dual Monitor Wall Mount

[461627] Two Gas-Spring Jointed Arms, Supports Two 17" to 32 Monitors up to 8 kg (17.64 lbs.), Tilt: $\pm 35^\circ$, Swivel: $\pm 90^\circ$, Rotate: $\pm 180^\circ$




Universal Gas Spring Dual Monitor Mount

[461597] Two Gas-Spring Jointed Arms, Supports Two 17" to 32" TVs or Monitors up to 8 kg (17.64 lbs.), Tilt: $\pm 35^\circ$, Swivel: $\pm 90^\circ$, Rotate: $\pm 180^\circ$



Universal Projector Ceiling Mount

[461184] Supports up to 13.5 kg (29.7 lbs.); Economy Option; Optimize views with $\pm 15^\circ$ tilt, $\pm 15^\circ$ swivel, 360° rotate



Universal Projector Wall or Ceiling Mount

[461207] Supports up to 20 kg (44 lbs.); Optimize views with $\pm 15^\circ$ tilt, $\pm 8^\circ$ swivel



Universal Projector Ceiling Mount

[424820] Aluminum; Supports up to 10 kg, Optimize views with $\pm 20^\circ$ tilt and 360° swivel adjustments



Universal Projector Ceiling Mount

[424868] Steel, Supports up to 15 kg, Optimize views with $\pm 180^\circ$ tilt, 360° swivel and height adjustments




Universal Projector Ceiling Mount

[424851] Aluminum; Supports up to 20 kg, Optimize views with $\pm 20^\circ$ tilt and 360° swivel adjustments

[EXTENDERS]

Would you like to extend your HDMI signal over long distances?

Connects a UHD Device



Example: [208291] 4K HDMI Extender With Dual HDMI Output



4K HDMI HDBaseT over Ethernet Extender Kit

[207973] Extends Distances of 4K@30Hz up to 70 m (230 ft.) and 1080p up to 100 m (330 ft.) Using Single Ethernet Cable, Power over Cable, Bi-directional IR, RS232 Support



4K HDMI over Ethernet Extender Kit

[207966] Extends Distances of 4K@30Hz up to 50 m (165 ft.) and 1080p up to 60 m (196 ft.) with a Single Ethernet Cable, Power over Cable, Bi-Directional IR Support



4K HDMI HDBaseT over Ethernet Extender Kit

[207638] Extends Distances of 4K@30Hz up to 40 m (130 ft.) and 1080p up to 70 m (230 ft.) Using Single Ethernet Cable, Power over Cable, IR/RS232 Support



HDBaseT 4K HDMI Extender With Dual HDMI Output

[208291] Distributes 4K@60Hz [4:4:4 Chroma] HDR10 HDMI up to 40 m (130 ft.) or 1080p@60Hz HDMI up to 70 m (230 ft.) Over a Single Cat5e/6 Cable, Power Over Cable (PoC), Two HDMI Outputs on Receiver, HDMI Loop-out on Transmitter, IR and RS232 Support



4K HDMI Repeater

[207621] Active, Extends Distances of 4K@60Hz up to 40 m



1080p HDMI over Ethernet Extender with Integrated Cables

[207386] Distances up to 30 m (100 ft.) with Two Ethernet Cables



1080p HDMI over Ethernet Extender Kit

[207461] Up to 50 m (164 ft.) with Single Cat6 Cable, Tx & Rx Modules, IR Support



1080p 4-Port HDMI Extending Splitter Transmitter

[207829] Splits One Source to Four Outputs; Extends Signal up to 50 m (165 ft.), Single Ethernet Cable per Receiver, Video Bandwidth Amplifier

Receiver for 1080p 4-Port HDMI Extending Splitter Transmitter

[207836] Receives One Input Signal from Transmitter up to 50 m (165 ft.), Single Ethernet Cable per Receiver, use with 207829

Contains 1 Transmitter & 1 Receiver

Additional Receivers for 207959



1080p HDMI over IP Extender Splitter Kit

[207959] Extends 1080p Signal up to 120 m (396 ft.) with a Network Switch and Single Ethernet Cable, IR Support

Receiver for 1080p HDMI Over IP Extender Splitter Kit #207959

[208222] For Use With Manhattan 1080p HDMI Over IP Extender Splitter Kit (#207959), Extends 1080p Signal up to 120 m (396 ft.) With a Network Switch and Ethernet Cable, IR Support



BUY AS
KIT #208284



HDMI over IP Extender Transmitter

[208260] Distributes a 1080p Signal up to 120 m (396 ft.) Over a Network, Unicast & Multicast Streaming, IR Support, Mountable

HDMI over IP Extender Receiver

[208277] Supports a 1080p Signal up to 120 m (396 ft.) Over a Network, Unicast & Multicast Streaming, IR Support, Mountable



H.264 HDMI Over IP Video Wall Extender - Transmitter

[208338] Distributes an H.264-compressed 1080p HDMI Signal up to 500 m (1,640 ft.) Over a Network; Video Wall, Unicast & Multicast Streaming; Mountable

H.264 HDMI Over IP Video Wall Extender - Receiver

[208345] Distributes an H.264-compressed 1080p HDMI Signal up to 500 m (1,640 ft.) Over a Network; Video Wall, Unicast & Multicast Streaming; Mountable



BUY AS
KIT #208253



H.264 HDMI Over IP Extender Transmitter


[207577] Distributes H.264-compressed 1080p Signal up to 120 m (396 ft.) Over a Network, Unicast & Multicast Streaming, HDMI Loop-out on Transmitter, IR Support, Mountable

H.264 HDMI Over IP Extender Receiver

[208246] Supports an H.264-compressed 1080p Signal up to 120 m (396 ft.) Over a Network, Unicast & Multicast Streaming, IR Support, Mountable

[SPLITTERS]

Would you like to split your HDMI signal to multiple displays, simultaneously?



Example: [207805] 4K 4-Port HDMI Splitter



4K Compact 4-Port HDMI Splitter

[207706] 4K@30Hz, AC Powered



4K 2-Port HDMI Splitter

[207591] 4K@60Hz, AC Powered



4K 2-Port HDMI Splitter

[207669] 4K@30Hz, AC Powered



4K 4-Port HDMI Splitter

[207805] 4K@60Hz, AC Powered




1080p 2-Port HDMI Splitter

[207652] 1080p@60Hz, USB Powered

[SWITCHES]

Would you like to share multiple media sources with one display?



Example: [207522] 4K 3-Port HDMI Switch

4K Bi-Directional 2-Port HDMI Splitter/Switch ▶

[207850] 4K@30Hz, Manual Selection, Passive (No Power Required), Splits an Ultra-High-Definition (UHD) digital audio/video signal to one of two UHD HDMI displays or allows switching between two sources at one display



4K 2-Port HDMI Switch

[207867] 4K@60Hz, AC Powered, Remote Control

4K 3-Port HDMI Switch

[207522] 4K@30Hz, USB Powered, Remote Control



4K Compact 3-Port HDMI Switch

[207676] 4K@60Hz, AC Powered, Remote Control



4K 3-Port HDMI Switch

[207874] 4K@60Hz, USB Powered, Integrated Cable



1080p 2-Port HDMI Switch

[207416] Integrated Cable



1080p 3-Port HDMI Switch

[207843] Integrated Cable

1080p 2-Port HDMI Switch ▶

[207911] Automatic and Manual Switching



1080p 4-Port HDMI Multiviewer Switch


[207881] Switch with Four Inputs on One Display, Video Bandwidth Amplifier, IR Remote Control

- Share up to four HDMI Audio/Video sources on one display at the same time or one at a time
- Multiviewer function supports four customizable modes: Full Screen and three variations of Combo Mode with seamless switching between sources
- Supports 1080p resolution as well as HD 3D video and Deep Color (36-bits/pixel)
- Supports Stereo, Coaxial and Toslink Audio output for connection to amplifier or receiver for the best sound quality



[MATRIX SWITCHES]

Would you like to share multiple media sources with multiple displays, simultaneously?



Example: [207751] 4K 4x4 HDMI Matrix

4K 4x4 HDMI Matrix

[207751] 4K@30Hz, Switch/Splitter Matrix with Four Inputs and Four Outputs, RS232 Control, Video Bandwidth Amplifier, IR Remote Control



1080p 4-Display HDMI Video Wall Matrix

[207928] Switch/Splitter Matrix, Video Wall Function, Four Inputs and Four Outputs, Manual or GUI Interface, Video Bandwidth Amplifier, IR Remote Control, RS232 and IP Control



1080p 4x4 HDMI Matrix

[207904] Switch/Splitter Matrix with Four Inputs and Four Outputs, RS232 Control, Video Bandwidth Amplifier, IR Remote Control





HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE



TECH OVERVIEW

	HDMI™ STANDARD	HDMI™ HIGH SPEED	HDMI™ HIGH SPEED with ETHERNET	HDMI™ PREMIUM Certified Cable	HDMI™ ULTRA HIGH SPEED
sRGB	✓	✓	✓	✓	✓
Consumer Electronics Control (CEC)	✓	✓	✓	✓	✓
DVD Audio support		✓	✓	✓	✓
Super Audio CD (DSD) support			✓	✓	✓
Deep color			✓	✓	✓
Auto Audio to video synchronization lipsync				✓	✓
Dolby True HD				✓	✓
bitstream capable				✓	✓
Updated list of CEC commands				✓	✓
3D over HDMI				✓	✓
Ethernet channel				✓	✓
Audio return channel (ARC)				✓	✓
4K resolution support				✓	✓
4K 50/60 support (3840x2160p 60 Hz)				✓	✓
4K 3D support				✓	✓
32 Kanal Audio support				✓	✓
1536 kHz audio support				✓	✓
1080p 3D HFR support				✓	✓
21:9 Cinemascope support				✓	✓
Multi-Stream Audio & Video support				✓	✓
18 Gbit/s				✓	✓
High Dynamic Range					✓
Color Space					✓
ITU-R BT. 2020					✓
Dyn. synch. of Multi-Stream Audio & Video					✓
Dynamic HDR (HDR dynamic metadata)					✓
Enhanced audio return channel (eARC)					✓
Variable Refresh Rate (VRR)					✓
Quick Media Switching (QMS)					✓
Quick Frame Transport (QFT)					✓
Auto Low Latency Mode (ALLM)					✓
Display Stream Compression (DSC)					✓
48 Gbit/s					✓
4K resolution support (120 Hz)					✓
8K resolution support (60 Hz)					✓
8K 3D support					✓

OUR STATE-OF-THE-ART HDMI CABLES

High-Definition Multimedia Interface (HDMI) has become the standard interface for most home audio/video systems and is a common interface for business applications. These digital cables simultaneously transfer uncompressed video and both compressed and uncompressed audio from a digital source. They connect devices like Blu-ray players, game consoles or laptops to digital displays like monitors, projectors or TVs.



8K@60Hz

8K@60Hz/4K@120Hz HEC, Dynamic HDR, VRR, QMS, QFT, ALLM, eARC, 3D, Shielded; Ultra High Speed HDMI Cable

Model #	Length	Package	Connection
354097	1 m	Bag	Male/Male
354080	2 m	Bag	Male/Male
354332	3 m	Bag	Male/Male



Extra Long Distance
No Interference

4K@60Hz (UHD) 4:4:4, HDR, ARC, HDCP 2.2, CEC, 3D, 18 Gbps Bandwidth, Plenum-Rated HDMI Active Optical Cable



Model #	Length	Package	Connection
355414	10 m	Brown Box	Male/Male
355421	20 m	Brown Box	Male/Male
355438	30 m	Brown Box	Male/Male
355445	50 m	Brown Box	Male/Male
355452	70 m	Brown Box	Male/Male
355469	100 m	Brown Box	Male/Male



4K@60Hz UHD, HEC, ARC, 3D, 18 Gbps Bandwidth, Premium High Speed HDMI Cable with Ethernet

Model #	Length	Package	Connection
354837	1 m	Bag	Male/Male
355346	1.8 m	Bag	Male/Male
355353	3 m	Bag	Male/Male
355360	3 m	Bag	Male/Male
355377	9 m	Bag	Male/Male

Video, Audio & Web CONNECTIVITY through one single HDMI Cable



The Manhattan HDMI cable's built-in Ethernet Channel

allows for sharing an Internet connection among multiple devices — no need for separate network cables. On top of Ultra HD video (4K), it also delivers high-quality audio thanks to the built-in Audio Return Channel.

What are **CL3-RATED** HDMI Cables & Why Should You **USE** Them?



Manhattan CL3 HDMI cables are made to securely send a 300-volt signal to compatible media equipment. Because their advanced construction prevents shocks or arcs and minimizes potential fire risks, they are ideal for in-wall installations.

4K@60Hz, HEC, ARC, 3D,
Shielded, In-wall CL3 High Speed
HDMI Cable with Ethernet



Model #	Length	Package	Connection
353922	1 m	Bag	Male/Male
353939	2 m	Bag	Male/Male
353946	3 m	Bag	Male/Male
353953	5 m	Bag	Male/Male
353960	8 m	Bag	Male/Male
353977	10 m	Bag	Male/Male



4K@30Hz
USB-C to HDMI Adapter Cables

Model #	Length	Package	Connection
152235	1 m	Bag	USB-C Male/HDMI Male
151764	2 m	Bag	USB-C Male/HDMI Male

4K@60Hz, HEC, ARC, 3D, Shielded,
Ultra-thin Premium High Speed
HDMI Cable with Ethernet



Model #	Length	Package	Connection
394406	0.5 m	Bag	Male/Male
394352	1 m	Bag	Male/Male
394369	1.8 m	Bag	Male/Male
394376	3 m	Bag	Male/Male

4K@30Hz, 3D, Shielded,
High Speed HDMI Cable



Model #	Length	Package	Connection
308816	1 m	Bag	Male/Male
355308	1.5 m	Bag	Male/Male
306119	1.8 m	Bag	Male/Male
306126	3 m	Bag	Male/Male
306133	5 m	Bag	Male/Male
308434	15 m	Bag	Male/Male

4K@30Hz, HEC, ARC, 3D,
Shielded, High Speed HDMI
Cable with Ethernet



Model #	Length	Package	Connection
323192	1 m	Bag	Male/Male
323215	2 m	Bag	Male/Male
393751	2 m	Blister	Male/Male
323222	3 m	Bag	Male/Male
393768	3 m	Blister	Male/Male
323239	5 m	Bag	Male/Male
323260	15 m	Bag	Male/Male

1080p, Shielded,
High Speed HDMI Cable



Model #	Length	Package	Connection
308441	7.5 m	Bag	Male/Male
322539	10 m	Bag	Male/Male
308458	22.5 m	Bag	Male/Male

1080p, HEC, ARC, 3D, Shielded,
High Speed HDMI Cable with
Ethernet



Model #	Length	Package	Connection
353274	7.5 m	Bag	Male/Male
323246	10 m	Bag	Male/Male

4K@30Hz, HEC, ARC,
3D, Shielded,
High Speed HDMI Cable
with Ethernet



Model #	Length	Package	Connection
324427	2 m	Bag	Male/Micro Male

4K@30Hz, 3D, Shielded,
High Speed HDMI Cable



Model #	Length	Package	Connection
304955	1.8 m	Bag	Male/Mini Male

4K@60Hz Mini DisplayPort Cables



Model #	Length	Package	Connection
324557	1 m	Bag	Mini DP Male/Mini DP Male
324632	2 m	Bag	Mini DP Male/Mini DP Male

4K@60Hz Mini DisplayPort to DisplayPort Cables



Model #	Length	Package	Connection
324724	1 m	Bag	Mini DP Male/DP Male
393812	2 m	Blister	Mini DP Male/DP Male
324748	2 m	Bag	Mini DP Male/DP Male
324830	3 m	Bag	Mini DP Male/DP Male

4K@60Hz Mini DisplayPort to HDMI Cables



Model #	Length	Package	Connection
153270	1 m	Bag	Mini DP Male/HDMI Male
153287	1.8 m	Bag	Mini DP Male/HDMI Male
153294	3 m	Bag	Mini DP Male/HDMI Male

1080P@60Hz Mini DisplayPort to HDMI Cables



Model #	Length	Package	Connection
153225	1 m	Bag	Mini DP Male/HDMI Male
153232	1.8 m	Bag	Mini DP Male/HDMI Male
153249	3 m	Bag	Mini DP Male/HDMI Male

1080p@60Hz Mini DisplayPort to DVI Cables



Model #	Length	Package	Connection
152150	1.8 m	Bag	Mini DP Male/DVI-D 24+1 Male

1080p@60Hz Mini DisplayPort to VGA Cables



Model #	Length	Package	Connection
152167	1.8 m	Bag	Mini DP Male/VGA Male

4K@60Hz USB-C to DisplayPort Adapter Cables



Model #	Length	Package	Connection
152471	1 m	Bag	USB-C Male/DP Male
152464	2 m	Bag	USB-C Male/DP Male

4K@60Hz DisplayPort to DisplayPort Cables



Model #	Length	Package	Connection
306935	1 m	Bag	DP Male/DP Male
307116	2 m	Bag	DP Male/DP Male
393799	2 m	Blister	DP Male/DP Male
307093	3 m	Bag	DP Male/DP Male
393805	3 m	Blister	DP Male/DP Male
354110	5 m	Bag	DP Male/DP Male
354127	7.5 m	Bag	DP Male/DP Male
354134	10 m	Bag	DP Male/DP Male

4K@60Hz DisplayPort to HDMI Cables



Model #	Length	Package	Connection
153195	1 m	Bag	DP Male/HDMI Male
153201	1.8 m	Bag	DP Male/HDMI Male
153218	3 m	Bag	DP Male/HDMI Male

1080p@60Hz DisplayPort to HDMI Cables



Model #	Length	Package	Connection
152662	1 m	Bag	DP Male/HDMI Male
152679	1.8 m	Bag	DP Male/HDMI Male
153188	3 m	Bag	DP Male/HDMI Male

1080p@60Hz DisplayPort to DVI Cables



Model #	Length	Package	Connection
152136	3 m	Bag	DP Male/DVI-D 24+1 Male

Digital Visual Interface (DVI) is the successor to the VGA cable. This video display cable has three different connection names in five different configurations. The first and least common, DVI-A, is an analog-only signal. The second is DVI-D, which has two distinct digital configurations: single link, which supports video resolutions up to 1920x120@60Hz, and dual link, which supports video resolution up to 2560x1600@60Hz. The third connection is DVI-I, which supports both analog and digital signals, and it offers the same two configurations as DVI-D (single link or dual link)



1080p@60Hz
DVI Cables, Dual Link

Model #	Length	Package	Connection
328838	1.8 m	Bag	DVI-D 24+1 Male/DVI-D 24+1 Male
371803	3 m	Bag	DVI-D 24+1 Male/DVI-D 24+1 Male
301244	5 m	Bag	DVI-D 24+1 Male/DVI-D 24+1 Male



1080p@60Hz
DVI Cables, Single Link

Model #	Length	Package	Connection
355322	2 m	Bag	DVI-D 18+1 Male/DVI-D 18+1 Male



1080p@60Hz
HDMI to DVI Cables

Model #	Length	Package	Connection
322782	1 m	Bag	HDMI Male/DVI-D 24+1 Male
372503	1.8 m	Bag	HDMI Male/DVI-D 24+1 Male
372510	3 m	Bag	HDMI Male/DVI-D 24+1 Male
372527	5 m	Bag	HDMI Male/DVI-D 24+1 Male



1080p@60Hz
USB-C to DVI Adapter Cable

Model #	Length	Package	Connection
152457	2 m	Bag	USB-C Male/DVI-D 18+1 Male





Video Graphics Array/Super Video Graphics Array (VGA/SVGA) formats are also referred to as D-Sub and DB15, with the difference in the shielding and gauge of the cables. The SVGA cable provides better signal quality over longer distances. At one time, these cables were the standard for video connection between computers and monitors or displays. Today, these analog cables have become less common as manufacturers incorporate newer, digital standards into their devices.

SVGA Cables



Model #	Length	Package	Connection
311731	1.8 m	Bag	HD15 Male/HD15 Male
393775	1.8 m	Blister	HD15 Male/HD15 Male
311748	3 m	Bag	HD15 Male/HD15 Male
393782	3 m	Blister	HD15 Male/HD15 Male
312721	4.5 m	Bag	HD15 Male/HD15 Male
372978	7.5 m	Bag	HD15 Male/HD15 Male
312776	10 m	Bag	HD15 Male/HD15 Male
313629	15 m	Bag	HD15 Male/HD15 Male
335607	20 m	Bag	HD15 Male/HD15 Male
337342	30 m	Bag	HD15 Male/HD15 Male

SVGA Cables with Ferrite Cores



Model #	Length	Package	Connection
317757	1.8 m	Bag	HD15 Male/HD15 Male
317733	3 m	Bag	HD15 Male/HD15 Male
317719	4.5 m	Bag	HD15 Male/HD15 Male
373708	7.5 m	Bag	HD15 Male/HD15 Male
317696	10 m	Bag	HD15 Male/HD15 Male
372183	15 m	Bag	HD15 Male/HD15 Male
372190	20 m	Bag	HD15 Male/HD15 Male
373715	30 m	Bag	HD15 Male/HD15 Male

VGA Cables



Model #	Length	Package	Connection
300735	1.8 m	Bag	HD15 Male/HD15 Male

SVGA Extension Cables



Model #	Length	Package	Connection
309011	1.8 m	Bag	HD15 Male/HD15 Female
313599	3 m	Bag	HD15 Male/HD15 Female
310345	4.5 m	Bag	HD15 Male/HD15 Female
313605	10 m	Bag	HD15 Male/HD15 Female
313612	15 m	Bag	HD15 Male/HD15 Female

SVGA Extension Cables with Ferrite Cores



Model #	Length	Package	Connection
317764	1.8 m	Bag	HD15 Male/HD15 Female
317740	3 m	Bag	HD15 Male/HD15 Female
317726	5 m	Bag	HD15 Male/HD15 Female
373685	7.5 m	Bag	HD15 Male/HD15 Female
317702	10 m	Bag	HD15 Male/HD15 Female
372107	15 m	Bag	HD15 Male/HD15 Female
371179	20 m	Bag	HD15 Male/HD15 Female

SVGA Y Cable



Model #	Length	Package	Connection
304559	0.15 m	Bag	HD15 Male/2 x HD15 Female



USB-C to HDMI Converter

[152921] White

[151788] Black

USB-C Male to HDMI Female



USB-C HDMI Docking Converter

[152037] Black

[152945] White

USB 3.2 Type-C Male to HDMI, USB A and USB C Females, Multiport Converter



SuperSpeed+ USB-C to VGA Converter

[151771] USB-C Male to VGA Female



SuperSpeed+ USB-C to VGA Converter

[152938] USB-C Male to VGA Female



SuperSpeed+ USB-C to DVI Converter

[152051] USB 3.2 Gen 1 Type-C Male to DVI Female



SuperSpeed+ USB-C to DVI Converter

[152914] USB 3.2 Gen 1 Type-C Male to DVI Female



SuperSpeed+ USB-C 3.2 to DisplayPort Converter

[152020] C Male to DisplayPort Female



SuperSpeed USB-C VGA Docking Converter

[152044] USB 3.2 C Male to VGA, USB A and USB C Females, Multiport Converter



USB-C 3-in-1 Multiport A/V Converter

[152983] USB-C Male to DVI, HDMI or VGA Females; 4K@30Hz on HDMI Port, 1080p on VGA or DVI Ports



USB-C 11-in-1 Triple-Monitor Docking Station with MST

[153478] USB 3.2 Type-C Male to HDMI, DP and VGA Females, Two USB 3.2 Gen 1 Type-A Ports, USB 2.0 Type-A Port, USB-C PD Port, Gigabit RJ45 Port, SD Card Reader and 3.5 mm Audio Port; Aluminum



SuperSpeed USB-C Multiport Adapter

[152075] USB 3.2 Type-C Male to HDMI (4K2K 30Hz) Female, Two USB 3.0 Type-A Ports, USB-C Power Delivery (PD) Port, Gigabit RJ45 Port, SD Card Reader; Aluminum



SuperSpeed USB-C to 7-in-1 Docking Station

[152808] USB 3.2 Type-C Male to HDMI, Mini DP or VGA, Three USB 3.0 Type-A Ports, USB-C PD Port, Gigabit RJ45 Port, SD Card Reader, and 3.5 mm Audio Port; Aluminum



SuperSpeed USB-C Multiport Adapter

[152440] USB 3.2 Gen 1 Type-C Male to HDMI (4K@30Hz) Female, Three Top-Mounted SuperSpeed USB-A Ports, USB-C Power Delivery (PD 3.0) Port, Gigabit RJ45 Port and SD/MicroSD Card Reader; Aluminum



SuperSpeed USB-C Multiport Adapter

[152372] USB 3.2 Gen 1 Type-C Male to HDMI (4K@30Hz) Female, Three SuperSpeed USB-A Ports, USB-C Power Delivery (PD 3.0) Port, Gigabit RJ45 Port and SD/MicroSD Card Reader; Aluminum



SuperSpeed Dual Monitor Multiport Adapter

[152846] USB 3.2 Gen 1 Type-A Male to HDMI (up to 2048x1152@60Hz) Female, VGA (up to 2048x1152@60Hz) Female, Two SuperSpeed USB-A Ports, Gigabit RJ45 Port and USB Micro-B Power Port; Aluminum



SuperSpeed USB-C to Dual HDMI Multiport Adapter

[152747] USB 3.2 Gen 1 Type-C Male to Two HDMI (up to 4K@30Hz) Females, Two SuperSpeed USB-A Ports, USB-C Power Delivery Port and Gigabit RJ45 Port; Aluminum



USB-C to HDMI Converter with Power Delivery Port

[\[153416\]](#) 4K@60Hz Resolution, Power Delivery up to 60 W (20 V / 3 A)



USB-C to DisplayPort Converter with Power Delivery Port

[\[153447\]](#) 4K@60Hz Resolution, Power Delivery up to 60 W (20 V / 3 A)



USB-C to DVI Converter with Power Delivery Port

[\[153423\]](#) Supports up to 1920x1200@60Hz Resolution, Power Delivery (PD) up to 60 W (20 V / 3 A)



USB-C to VGA Converter with Power Delivery Port

[\[153430\]](#) Supports up to 1080p Resolution, Power Delivery (PD) up to 60 W (20 V / 3 A)



USB-C to Headphone Jack Adapter

[\[153355\]](#) USB-C Male to 3.5 mm Audio and USB-C Power Delivery Females



USB-C Audio Adapter

[\[153348\]](#) USB-C Male to USB-C Audio and USB-C Power Delivery Females



USB-C Audio Adapter

[\[153317\]](#) USB-C Male to 3.5 mm Mic-in and Audio-Out Females



USB-C 4-in-1 Audio/Video Converter

[\[152600\]](#) USB 3.2 Type-C Male to HDMI/DP/VGA/DVI Female



Display Hubs with MST From



What is **MST?**

Multi-Stream Transport (MST) is a feature that pushes content streams from a port on a DisplayPort device to multiple screens. The MST function can also create a video wall*, where one video signal is cast onto several screens acting as one large screen.

**Requires a graphics card that supports video-wall function.*

Example:

Mini DisplayPort to 4-Port DisplayPort Splitter Hub with MST

Model Number: 207744

Duplicates an Ultra high-definition digital audio/video signal for 4 DP outputs



4K
Resolution



Audio/Video




Video Wall



USB Powered

How this Mini DisplayPort Works:

Works in 3 Modes:



Mini DisplayPort to
4-Port DisplayPort
Splitter Hub with MST



Extended Mode



Mirrored Mode



Video Wall Mode (Multi-Stream Transport)



USB-C to Dual DisplayPort Adapter - MST Hub

[152952] USB-C Male to Two DP Ports; Mirror, Extended and Video-Wall Modes Supported; 4K@30Hz



USB-C to Dual HDMI Converter - MST Hub

[152969] USB-C Male to Two HDMI Ports; Mirror, Extended and Video-Wall Modes Supported; 4K@30Hz



DisplayPort to Dual HDMI - MST Hub

[152716] DisplayPort Male to Two HDMI Females; Mirror, Extended and Video-Wall Modes Supported; 4K@30Hz; USB Powered



DisplayPort to Dual DisplayPort - MST Hub

[207768] DisplayPort Male to Two DisplayPort Females; Mirror, Extended and Video-Wall Modes Supported; 4K@30Hz; USB Powered



Mini DisplayPort to Dual HDMI - MST Hub

[152723] Mini DisplayPort Male to Two HDMI Females; Mirror, Extended and Video-Wall Modes Supported; 4K@30Hz; USB powered



Mini DisplayPort to 4-Port DisplayPort Splitter Hub with MST

[207744] 4K@30Hz, USB Power, Video Wall Function, HDCP 2.2



USB-C to Multiport A/V Converter - MST Hub

[152990] USB-C Male to HDMI, DP and VGA Females; Mirror, Extended and Video-Wall Modes Supported up to 4K@30Hz (HDMI & DP), 1080p (VGA)



SuperSpeed USB 3.0 to HDMI Adapter

[152259] Converts SuperSpeed USB 3.0 A to HDMI Output



SuperSpeed USB 3.0 to DisplayPort Adapter

[152327] Converts USB 3.0 A to DisplayPort Output, 4K



SuperSpeed USB 3.0 to DVI Converter

[152310] Supports Additional DVI-I Display; Accommodates HDMI or VGA Display with Adapter



SuperSpeed USB 3.0 SVGA Converter

[152303] Supports Additional SVGA Display



USB Audio/Video Grabber

[162579] Capture, edit and convert audio and video with one touch



Hi-Speed USB 3D 7.1 Sound Adapter

[152341] Compact High-Speed USB 2.0 External Sound Card with 3.5 mm Audio and Microphone Ports, 7.1-Channel Virtual 3D Surround Sound, Internal Amplifier and Volume Controls



Hi-Speed USB 3-D Sound Adapter

[150859] Improves audio access and performance



USB Audio Adapter

[153324] USB-A Male to 3.5 mm Mic-in and Audio-Out Females



HDMI to VGA Micro Converter

[151542] HDMI Male to VGA Female with Audio, Optional USB Micro-B Power Port



HDMI Coupler

[353465] HDMI A Female to A Female, straight connection



HDMI Adapter

[353502] HDMI A Female to A Male, downward 90° Angle



HDMI Adapter

[353519] HDMI A Female to A Male, upward 90° Angle



HDMI to DisplayPort Converter

[152648] HDMI Female to DisplayPort Male, 4K@30Hz



HDMI to VGA Converter

[151467] Bag
[151436] Blister
 HDMI Male to VGA Female, Optional USB Micro-B Power Port



HDMI to VGA Converter

[151559] Bag
[151450] Blister
 HDMI Male to VGA Female, with Audio, Optional USB Micro-B Power Port



Passive Mini DisplayPort to HDMI Adapter

[151399] White, Blister
[151528] Black, Blister
[322461] White, Bag
 Mini DisplayPort Male to HDMI Female, 1080p



Active Mini DisplayPort to DVI-I Adapter

[152549] Mini DisplayPort Male to DVI-I Dual-Link Female



Passive Mini DisplayPort to DVI-I Adapter

[152907] White
[322485] Black
Mini DisplayPort Male to DVI-I Dual-Link Female



Active Mini DisplayPort to HDMI Adapter

[151474] White
[152570] Black
Mini DisplayPort Male to HDMI Female, 4K@60Hz



Mini DisplayPort to VGA Adapter

[322508] Mini DisplayPort Male to VGA Female, Active



Mini DisplayPort to DisplayPort Adapter

[354141] Mini DisplayPort Male to DisplayPort Female, Adapter



3-in-1 4K Mini DisplayPort Adapter

[207362] White
[207720] Black
Mini DisplayPort Male to HDMI/DVI/VGA Female, Active.



Passive DisplayPort to HDMI Adapter

[151993] DisplayPort Male to HDMI Female, Dongle Adapter, 1080p



Passive DisplayPort to HDMI Adapter

[151634] DisplayPort Male to HDMI Female, Cable Adapter, 1080p



DisplayPort to Mini DisplayPort Adapter

[353403] DisplayPort Male to Mini DisplayPort Female, 15 cm (6 in.)



DisplayPort to VGA Converter Cable

[151962] DisplayPort Male to VGA HD15 Female Adapter, 15 cm (6 in.), Active



Active Mini DisplayPort to VGA Adapter

[151504] Mini DisplayPort Male to VGA Female, 1080p



Digital Video Adapter

[328883] DVI-I Dual Link Male to VGA Female



Hi-Speed USB 2.0 SVGA Converter

[\[179225\]](#) Supports up to 6 additional displays, Silver/Blue



VGA and USB to HDMI Converter

[\[152426\]](#) Converts Analog VGA Video and USB Audio to a Digital HDMI Signal



2-in-1 4K Mini DisplayPort Adapter

[\[152709\]](#) Mini DisplayPort Male to HDMI/VGA Female, Passive



2-in-1 4K DisplayPort Adapter

[\[152587\]](#) DisplayPort Male to HDMI/VGA Female, Passive



VGA Cat5/5e/6 Extender




[\[177344\]](#) Extends video and audio signals up to 300 m (984 ft.)



Professional Video Splitter

[\[207331\]](#) 2-Port, VGA, SVGA, MultiSync

Easily expand a single USB port to connect and support serial modems, barcode scanners, digital cameras, card readers, Ham/Amateur Radios, GPS, CNC machines, telescopes, embroidery machines, fuel injection controllers, PDUs, network switches and other devices.

-  Converts a USB port into Serial/RS232/COM/DB9 ports
-  Plug and Play
-  Windows® Compatible



MosChip MCS7840 Chipset

Model #	# of Serial Devices	USB Connection	Packaging
151047	4	A Male	Retail Box



Prolific PL-2303RA Chipset

Model #	# of Serial Devices	USB Connection	Packaging	Length
205153	1	A Male	Bag	45 cm
205146	1	A Male	Blister	45 cm
151283	1	C Male	Bag	45 cm
151849	1	A Male	Bag	1.8 m
174947	2	A Male	Bag	45 cm



FTDI FT232RL Chipset

Model #	# of Serial Devices	USB Connection	Packaging	Length
151856	1	A Male	Bag	45 cm
151566	1	C Male	Bag	45 cm



Prolific PL-2303HxD Chipset

Model #	# of Serial Devices	USB Connection	Packaging	Length
151801	1	A Male	Bag	45 cm




Full-Speed USB-C to Parallel Printer Converter

Model #	# of Serial Devices	Connection type	Packaging	Length
152525	1	Cen36 Female	Blister	1 m
152518	1	DB25 Female	Blister	1 m



Full-Speed USB to Parallel Printer Converter

Model #	# of Serial Devices	Connection type	Packaging	Length
317474	1	Cen36 Male	Blister	1.8 m
317016	1	Cen36 Male	Bag	1.8 m
336581	1	DB25 Female	Blister	1.8 m



USB to PS/2 Converter

[\[179027\]](#) Connects Two PS/2 Devices via One USB Port



USB 2.0 Type-C to Type-A Adapter

[\[354653\]](#) Type-C Female to Type-A Male



USB Micro-B to Type-C Adapter

[\[354660\]](#) Micro-B Female to Type-C Male, USB 3.1 Gen1



USB-C to USB Mini-B Adapter

[\[354677\]](#) USB 2.0, Type-C Male to Mini-B Female, 480 Mbps



SuperSpeed USB C Cable Adapter

[\[354646\]](#) USB 3.1, Gen 1, Type-C Male to Type-A Female, 5 Gbps



SuperSpeed+ USB C Adapter

[\[354714\]](#) USB 3.1, Gen 1, Type-A Male to Type-C Female, 10 Gbps



M.2 NGFF SSD Enclosure

[130455] USB 3.0, USB Micro-B Female Connection, UASP-compliant, Aluminum

- Offers USB 3.1 Gen 1 connection to support data transfer speeds up to 5 Gbps
- Supports the most common SATA M.2 SSDs: 30 mm, 42 mm, 60 mm and 80 mm
- Compatible with SATA revisions I (1.5 Gbps), II (3 Gbps) and III (6 Gbps)



M.2 NVMe SSD Enclosure

[130530] USB 3.2 gen 2, USB-C Female Connection, UASP-compliant, Aluminum

- Offers USB 3.2 Gen 2 connection to support data transfer speeds up to 10 Gbps
- Supports SATA M.2 NVMe SSDs: 42 mm, 60 mm and 80 mm
- Supports only M-Key PCIe NVMe M.2 SSDs up to 2 TB
- Compatible with SATA revisions I (1.5 Gbps), II (3 Gbps) and III (6 Gbps)



Drive Enclosure

[130295] SuperSpeed USB 3.0, SATA, 3.5"



Drive Enclosure

[130042] Hi-Speed USB 2.0, SATA, 2.5"



Drive Enclosure

[\[130103\]](#) Hi-Speed USB 2.0, SATA, 2.5", Black Silicone



Drive Enclosure

[\[130110\]](#) Hi-Speed USB 2.0, SATA, 2.5", Blue Silicone




SuperSpeed+ USB-C 3.2 to SATA Adapter

[\[152495\]](#) USB-C 3.2 Gen 1 to SATA 2.5" Adapter



USB-C 3.2 Gen 1 to SATA Adapter - with Power Adapter

[\[152433\]](#) USB-C 3.2 Gen 1 to SATA 2.5"/3.5" Adapter



SuperSpeed USB to SATA Adapter

[\[130424\]](#) USB 3.0 to SATA 2.5" Adapter



Hi-Speed USB to SATA/IDE Adapter

[\[179195\]](#) 3-in-1 with One-Touch Backup



USB HUBS



3-Port USB 3.2 Gen 1 Hub with Card Reader

[164948] USB-C Male to Three USB-A Females and SD/ MicroSD Card Reader, 5 Gbps Transfer Speeds, Bus Powered



3-Port USB 3.2 Gen 1 Hub with Card Reader

[164931] USB-A Male to Three USB-A Females and SD/ MicroSD Card Reader, 5 Gbps Transfer Speeds, Bus Powered



4-Port USB 3.2 Gen 1 Hub

[164924] USB-C Male to Four USB-A Females, 5 Gbps Transfer Speeds, Bus Powered



4-Port USB 3.2 Gen 1 Hub

[164900] USB-A Male to Four USB-A Females, 5 Gbps Transfer Speeds, Bus Powered



SuperSpeed USB 3.0 Hub

[162302] 4 Ports, AC/Bus Power



SuperSpeed USB 3.0 Hub and Card Reader/Writer

[163590] Three Ports, Supports MicroSD, SD and MMC Memory Cards, Bus Powered



4-Port SuperSpeed USB 3.0 Hub

[163767] Four Type-A USB 3.0 Ports, Aluminum Housing, Bus-Powered



SuperSpeed USB-C 3.2 Gen 1 C Hub

[162746] 4 A Ports, Bus Power



USB 3.0/2.0 Combo Hub

[163828] One SuperSpeed USB 3.0 port, Three Hi-Speed USB 2.0 ports, Bus Powered



SuperSpeed USB-C 3.2 Gen 1 Type-C Hub with Power Delivery

[163552] USB Type-C Male to Three Type-A Ports Female and One Type-C Power-Delivery Port Female



4-Port USB 3.2 Gen 1 Hub With Power Adapter

[164955] Four USB-A ports, 1 m (3 ft.) USB-A Male to Micro-B Male Cable, 5 Gbps Transfer Speeds, Bus / AC Powered with Included 5 V / 2 A AC Adapter



4-Port USB 3.2 Gen 1 Hub

[164894] USB-C Male to Two USB-A Females and Two USB-C Females, 5 Gbps Transfer Speeds, Bus Powered



4-Port USB 3.2 Gen 1 Hub

[164887] USB-A Male to Two USB-A Females and Two USB-C Females, 5 Gbps Transfer Speeds, Bus Powered



4-Port Industrial USB 3.0 Hub

[161411] Four USB 3.0 Type-A Ports, 20 kV ESD Protection, A/C, Bus and Terminal-Block Power Options, DIN Rail, Wall Mountable, Metal Housing, Screw-Lock Security



7-Port Industrial USB 3.0 Hub

[164405] Seven USB 3.0 Type-A Ports, 20 kV ESD Protection, A/C, Bus and Terminal-Block Power Options, DIN Rail, Wall Mountable, Metal Housing, Screw-Lock Security



Hi-Speed USB Flex Hub

[161053] Flower, 4 Ports, Bus Power



Hi-Speed USB Micro Hub

[160605] 4 Ports, Bus Power



Hi-Speed USB 2.0 Micro Hub

[160612] 4 Ports, AC Power



Hi-Speed USB 2.0 Ultra Hub

[161039] 7 Ports, Dual Power,
Multiple Transaction Translator



Hi-Speed USB Desktop Hub

[161572] 10 USB 2.0 Type-A Ports, Bus or AC Power



MondoHub II

[163606] Adds 28 USB Ports to Any Computer -
24 USB 2.0 & Four USB 3.0 Ports, AC Power



USB-C to 5GBASE-T Ethernet Adapter

[153461] SuperSpeed USB 3.2 Gen 1 with 5 Gbps USB & Multi-Gigabit Ethernet Connection Speeds



USB-C to 2.5GBASE-T Ethernet Adapter

[153300] USB 3.2 Gen 1; 10/100/1000Mbps & 2.5Gbps, Multi-Gigabit Ethernet



USB-C to Gigabit Network Adapter with Power Delivery Port

[153454] Gigabit (10/100/1000 Mbps) Ethernet port, Power Delivery up to 60 W (20 V / 3 A)



Type-C to Gigabit Network Adapter

[507585] SuperSpeed USB 3.1 Gen 1 (5 Gbps); 10/100/1000 Mbps Gigabit Ethernet



Type-C to 3-Port USB 3.0 Hub with Gigabit Network Adapter

[507608] Three SuperSpeed USB 3.1 Gen 1 (5 Gbps) ports; 10/100/1000 Mbps Gigabit Ethernet



3-Port USB 3.0 Hub with Gigabit Ethernet Adapter

[507578] Three 5 Gbps SuperSpeed USB 3.0 Ports; One 10/100/1000 Mbps Ports for UltraBook™ and MacBook®



USB 3.0 to Gigabit Network Adapter

[506847] 10/100/1000 Mbps Gigabit Ethernet, SuperSpeed USB 3.0



USB 2.0 Fast Ethernet Adapter

[506731] 10/100 Mbps Fast Ethernet, Hi-Speed USB 2.0



Mini Multi-Card Reader/Writer

[101981] SuperSpeed USB 3.0, External Card Reader & Writer, 24-in-1, Mobile



Mini USB 2.0 Multi-Card Reader/Writer

[101677] Hi-Speed USB, Mobile, 24-in-1



Multi-Card Reader/Writer

[101998] Hi-Speed USB, Slim, 79-in-1



Multi-Card Reader/Writer

[100939] Hi-Speed USB, External, 60-in-1



Multi-Card Reader & Writer

[101653] Super-Speed USB 3.0, External Card Reader & Writer, 62-in-1



Multi-Card Reader/Writer

[101967] SuperSpeed USB 3.0, 3.5" Bay Mount, 48-in-1



Multi-Card Reader/Writer

[100915] Hi-Speed USB, 3.5" Bay Mount, 60-in-1



Standing USB Smart/SIM Card Reader

[102025] USB 2.0 Type-A, Contact Reader, Desktop, External



Smart Card Reader

[102049] USB, Contact Reader, External



Magnetic Stripe Card Reader

[460255] USB, Triple Track Reader



USB CABLES

USB 3.2 Gen 2,
A Male/C Male



Model #	Length	Package	Color
354639	0.5 m	Bag	Black
353373	1 m	Bag	Black

USB 3.2 Gen 2,
C Male/C Male, 5 A



Model #	Length	Package	Color
355223	1 m	Bag	Black

USB 3.2 Gen 2,
C Male/C Male, 3 A



Model #	Length	Package	Color
354899	0.5 m	Bag	Black
353526	1 m	Bag	Black

USB 3.2 Gen 2,
C Male/B Male



Model #	Length	Package	Color
353380	1 m	Bag	Black

USB 3.2 Gen 2,
C Male/Micro-B Male



Model #	Length	Package	Color
353397	1 m	Bag	Black

USB 3.2 Gen 2,
C Male/C Female



Model #	Length	Package	Color
355230	0.5 m	Bag	Black

USB 3.2 Gen 1,
A Male/C Male



Model #	Length	Package	Color
354974	2 m	Bag	Black
354981	3 m	Bag	Black

USB 3.2 Gen 1,
C Male/C Male



Model #	Length	Package	Color
354905	2 m	Bag	Black

USB 3.2 Gen 1,
C Male/B Male



Model #	Length	Package	Color
354998	2 m	Bag	Black

USB 3.2 Gen 1,
C Male/A Female



Model #	Length	Package	Color
355285	15 cm	Bag	Black
353540	15 cm	Bag	Blue

USB 3.2 Gen 1
(USB 3.0),
A Male/A Male



Model #	Length	Package	Color
354295	1.8 m	Bag	Blue

USB 3.2 Gen 1
(USB 3.0),
A Male/A Male




Model #	Length	Package	Color
355247	1.8 m	Bag	Blue

USB 3.2 Gen 1
(USB 3.0),
A Male/B Male



Model #	Length	Package	Color
354301	0.5 m	Bag	Blue
325400	1 m	Bag	Blue
322430	2 m	Bag	Blue
322454	3 m	Bag	Blue

USB 3.2 Gen 1
(USB 3.0),
A Male/Micro-B Male



Model #	Length	Package	Color
354318	0.5 m	Bag	Blue
325417	1 m	Bag	Blue
325424	2 m	Bag	Blue
325431	3 m	Bag	Blue

USB 3.2 Gen 1
(USB 3.0),
A Male/A Female



Model #	Length	Package	Color
325394	1 m	Bag	Blue
322379	2 m	Bag	Blue
322447	3 m	Bag	Blue

USB 3.2 Gen 1
(USB 3.0),
Active Extension Cable,
A Male/A Female



Model #	Length	Package	Color
150712	5 m	Bag	Black

USB 2.0,
A Male/C Male



Model #	Length	Package	Color
354912	0.5 m	Bag	Black
353298	1 m	Bag	Black
354929	2 m	Bag	Black
354936	3 m	Bag	Black

USB 2.0,
C Male/C Male, 3 A



Model #	Length	Package	Color
354868	0.5 m	Bag	Black
353342	1 m	Bag	Black
354875	2 m	Bag	Black
354882	3 m	Bag	Black

USB 2.0,
C Male/C Male, 5 A



Model #	Length	Package	Color
355247	2 m	Bag	Black



USB CABLES

USB 2.0,
C Male/B Male



Model #	Length	Package	Color
353304	1 m	Bag	Black
354950	2 m	Bag	Black

USB 2.0,
C Male/Micro-B Male



Model #	Length	Package	Color
353311	1 m	Bag	Black
354967	2 m	Bag	Black

USB 2.0,
C Male/Micro-B Female




Model #	Length	Package	Color
353335	15 cm	Bag	Black

USB 2.0,
A Male/A Male



Model #	Length	Package	Color
353885	0.5 m	Bag	Black
353892	1 m	Bag	Black
306089	1.8 m	Bag	Black
353915	3 m	Bag	Black

USB 2.0,
A Male/B Male



Model #	Length	Package	Color
374507	0.5 m	Bag	Black
306218	1 m	Bag	Black
333405	1.8 m	Bag	Translucent
333368	1.8 m	Bag	Black
393737	1.8 m	Blister	Black
340458	3 m	Bag	Translucent
333382	3 m	Bag	Black
393829	3 m	Blister	Black
393836	4.5 m	Bag	Translucent
337779	5 m	Bag	Black
345408	5 m	Bag	Translucent

USB 2.0,
Active Extension Cable,
A Male/B Male



Model #	Length	Package	Color
510424	11 m	Bag	Black

USB 2.0,
A Male/Mini-B Male



Model #	Length	Package	Color
333375	1.8 m	Bag	Black
333412	1.8 m	Bag	Translucent
302388	4.5 m	Bag	Black

USB 2.0,
A Male/Micro-B Male



Model #	Length	Package	Color
325677	0.5 m	Bag	Black
323987	1 m	Bag	White
393874	1 m	Blister	Black
307178	1.8 m	Bag	Black
324069	1.8 m	Bag	White
325684	3 m	Bag	Black

USB 2.0,
Active Extension Cable,
A Male/A Female



Model #	Length	Package	Color
519779	5 m	Blister	Silver
151573	10 m	Bag	Black
150248	10 m	Blister	Black
152365	15 m	Bag	Black
150958	20 m	Retail Box	Black

USB 2.0,
A Male/A Female



Model #	Length	Package	Color
308519	1 m	Bag	Black
336314	1.8 m	Bag	Translucent Silver
393843	1.8 m	Blister	Black
338653	1.8 m	Bag	Black
340496	3 m	Bag	Translucent Silver
393850	3 m	Blister	Black
340502	4.5 m	Bag	Translucent Silver

USB 2.0,
Active Extension Cable,
A Male/B Male



Model #	Length	Package	Color
152389	15 m	Bag	Black



USB Line Extender

[179300] Extends the Distance to Any USB Device Up to 60 m (196 ft.)

- Extends the distance of barcode scanners, printers, digital cameras, keyboard/mouse extensions and other USB devices from a USB-enabled computer
- Embedded transceivers enhance signal and prevent signal loss
- Bus powered – requires no external power supply
- Windows and Mac compatible





Hi-Speed USB 2.0 A Male to Lightning Male Cables



Model #	Length	Package	Color
394413	0.15 m	Blister	White
390781	0.5 m	Blister	White
393744	1 m	Blister	White
390842	1.8 m	Blister	White
390866	3 m	Blister	White

Charge & Sync Lightning® Cable

- USB-A Male/MFi-Certified
8-Pin Lightning Male




Model #	Length	Package	Color
354394	0.5 m	Blister	Black
354400	1 m	Blister	Black
355483	1.8 m	Blister	Black

Hi-Speed USB 2.0 A Male to Lightning Male Cables - Aluminum Boot, Nylon Braiding



3-in-1 USB Charging and Data Cable

[353434] USB-A to Lightning, USB Micro-B and USB-C Connectors, 1 m (3.3 ft.)



Model #	Length	Package	Color
394321	1 m	Blister	Metallic Gold
394338	1 m	Blister	Metallic Silver
394345	1 m	Blister	Steel Gray

Charge & Sync USB-C to Lightning® Cable,

- USB-C Male/MFi-Certified
8-Pin Lightning Male



Model #	Length	Package	Color
394185	0.5 m	Retail Box	Space Gray
394192	0.5 m	Retail Box	Black
394208	1 m	Retail Box	Space Gray
394291	1 m	Retail Box	Black
394307	1.8 m	Retail Box	Space Gray
394314	1.8 m	Retail Box	Black



What is USB POWER DELIVERY?



What is USB 3.2 GEN 1 AND GEN 2?

USB 3.2 Gen 1 is also called SuperSpeed USB. The spec transmits data at up to 5 Gbps (0.625 GB/s). Power can be supplied at up to 5 volts and 1.5 amps (7.5 watts). USB 3.2 Gen 1 cannot supply power while it transmits data.

USB 3.2 Gen 2 is also known as SuperSpeed+. It can transmit data at up to 10 Gbps (1.25 GB/s). Power is supplied at up to 20 volts and five amps (100 watts). USB 3.2 Gen 2 can supply power and transmit data at the same time.



Ultrafast



Ultrapowerful



Smart & Secure



Universal & Convenient

USB Power Delivery (USB-PD) is a technology that uses USB-C cables to make fast-charging of mobile devices more efficient than ever before. Here are the benefits:



Ultrafast

In 30 minutes, a regular 5W charger can get an empty battery of an iPhone 11 Pro or Google Pixel 4 to only ~20%. Modern smartphones like these fully profit from USB-PD and support charging with 18W which boosts the battery to ~50% in the same time.



Ultrapowerful

USB-PD does not stop at smartphones. With a maximum output of 100W, this technology is powerful enough to even charge notebooks and power-hungry tablets like the iPad Pro 12.9" quickly.



Smart & Secure

With USB-PD, the cable, charger and device communicate with each other before any power starts flowing. That guarantees the safest charging with protection against overloading, over-current, overheating and short-circuits



Universal & Convenient

USB-PD is an open standard, so every manufacturer can adopt it. That makes it universal and allows you to charge such different devices as an HP laptop, a Nintendo Switch or an Apple Macbook Pro with one and the same compact charger.

New Name	Old Name	Original Name	SuperSpeed Name	Max. Speed
USB 3.2 Gen 1	USB 3.1 Gen 1	USB 3.0	SuperSpeed USB	5 Gbps
USB 3.2 Gen 2	USB 3.1 Gen 2	USB 3.1	SuperSpeed USB 10Gbps	10 Gbps
USB 3.2 Gen 2x2	N/A	USB 3.2	SuperSpeed USB 20Gbps	20 Gbps

Our Smallest Power Delivery Charger

Pocket-friendly, yet powerful



GaN Tech Power Delivery Wall Charger - 65 W

[102278]

Ultra-compact GaN Technology,
USB-C Power Delivery (PD) Port
up to 65 W, Foldable US and
Interchangeable UK / EU Plugs

Profit from all Power Delivery benefits, but in an extra-small format, thanks to **GaN (Galium Nitride)!**



With only 51 x 51 x 28 mm, this charger is smaller than many stock phone chargers and only weighs 160 g.



Gallium nitride chips are more efficient than traditional silicon chips. Their components are smaller, lighter and emit less heat for a more compact, cooler and safer charger



Despite its tiny format, this charger is powerful enough to charge a MacBook Pro 13" completely in only 2.1 hours



A foldable US plug and interchangeable EU and UK plugs in the package contents make this charger the perfect international travel companion



Power Delivery Wall Charger - 18 W

[102087] Black

[102094] White

USB-C Power Delivery Port up to 18 W, Europlug



Power Delivery Wall Charger - 27 W

[102131] White

[102148] Black

USB-C Power Delivery Port up to 18 W, USB-A Charging Port up to 5V / 2.4 A



Power Delivery Wall Charger - 45 W

[180054] Black

[180146] White

USB-C Power Delivery Port (up to 45 W), USB-A Charging Port (up to 2.4 A)



Power Delivery Wall Charger - 60 W

[180214] Black

[180221] White

USB-C Power Delivery Port (up to 60 W), USB-A Charging Port (up to 2.4 A)



Power Delivery Wall Charger with Built-in USB-C Cable - 60 W

[180238] Black

[180245] White

USB-C Power Delivery Connector (up to 60 W), USB-A Charging Port (up to 2.4 A)



Universal Notebook Power Adapter

[100854] Adjustable Voltage, Seven Output Levels, 70 W



Power Delivery Charging Station With Qi™ Wireless Charging Pad - 55 W ▶

[102230] One USB-C Power Delivery Port up to 30 W, One Quick Charge™ Power Port up to 18 W, Three USB-A Ports Sharing up to 36 W, Detachable Qi™-certified 10 W Wireless Charging Pad



Smart Video Power Delivery Charging Hub

[130554] Connects your smartphone or notebook to peripherals and an HDMI display while charging your devices, One HDMI Port, One USB-C Power Delivery Port up to 45 W, One USB-C Port up to 5 V/1 A, Two USB-A Ports

Power Delivery Charging Station - 65 W

[102223] One USB-C Power Delivery Port up to 60 W, One USB-C Power Delivery Port up to 18 W, One Quick Charge Power Port up to 18 W



Power Delivery Charging Station - 72 W

[102124] One USB-C Power Delivery Port up to 60 W, Three USB-A Charging Ports Sharing up to 12 W / 2.4 A



Power Delivery Charging Station - 90 W

[102247] One USB-C Power Delivery Port up to 60 W, One USB-C Power Delivery Port up to 30W, Two QuickCharge power ports up to 18 W each



Wireless Charging Pad - 10 W

[102186] Qi™-Certified; 10 W, 7.5 W and 5 W Charging; Round Charging Base



Dual Wireless Charging Pad - 30 W

[102209] Qi™-Standards Compliance, Two 15 W Wireless Charging Bases, 30 W Power Delivery Wall Charger



Magnetic Car Air-Vent Phone Mount

[461504] Adjustable Clip-on, Quick Attach and Release, Non-Skid Pad



Power Delivery Car Charger - 18 W

[102056] USB-C Power Delivery Port up to 18 W (5 V / 3 A)




Power Delivery Car Charger - 42 W

[102063] USB-C Power Delivery Port up to 24 W, USB-A QC 3.0 Charging Port up to 18 W



Fast-Wireless Car Charger - 10 W

[102216] Qi™-Certified, 10 W Wireless Charger, Smartphone Mount with Air-Vent Clip and Suction-Cup Install Options, Touch-sensor Release



Touch-sensor Release

4-Port USB Charging Station

[102261] 4 port Charging station, each port supports up to 5V / 2.4 A, 34 W total output



6-Port USB Charging Station

[102254] 6 port Charging station, each port supports up to 5V / 2.4 A, 72 W



10-Port USB Charging Station

[180009] 76 W, 12 A USB Charging Dock with QC 2.0, Eight-bay Stand





Serial AT Attachment (SATA) is a computer bus interface that connects PCs to storage devices like Optical Drives, Hard Disk Drives (HDD) and Solid State Drives (SSD). SATA replaced the complex and limited IDE interface with a faster, more capable standard. SATA cables are available in two varieties—data and power. The 7-pin data cables can either be internal (SATA) or external (eSATA), and generally, both perform the same functions. The SATA standard also includes a power cord and looks similar to the data cable, but it is larger and features 15 pins.

Power Cable is a general cable category which has many different standards such as AC power, SATA or USB. However, they are all used for internal or external applications



Power Cable

[300148] PC to CEE 7/4, 1.8 m (6 ft.)




Power Cable

[301152] Monitor to CPU, 1.8 m (6 ft.)




Power Cable

[339100] CEE 7/16 Male to C7 Female ("Euro 8"), 1.8 m (6 ft.)




Power Cable

[371131] C5 to CEE 7/4, 1.8 m (6 ft.)



Power Cord UK 3-pin

[322843] C7 to BS 1363 (UK plug), 1.8 m (6 ft.)



Power Y Cable

[301503] 5.25" M to dual 5.25" F, 20 cm (8 in.)



SATA Data Cable

[340700] 7-Pin Male/Male, 50 cm (20 in.)




SATA Power Cable

[342766] 4 Pin to 15 Pin, 16 cm (6.3 in.)

SATA Power Y Cable

[349369] 4-pin Molex Male to Two 15-pin SATA Male, Internal Power, 6"



Barcode Scanner Product Overview

Model #	Connection	Scan Light	Range	Scan Width/ Scan Depth	Ambient Light in lux	1D/ 2D	Scans /Sec	Special Feature
460866	Wired USB	CCD	Contact	50 mm Scan Width	50,000	1D	200	
178488	Wired USB	CCD	Contact	60 mm Scan Width	5,000	1D	100	
401517	Wired USB	CCD	Contact	80 mm Scan Width	3,000	1D	120	
177665	Wired USB	Laser	Medium Range	300 mm Scan Depth	5,000	1D	50	
177429	Wired USB	Laser	Medium Range	300 mm Scan Depth	5,000	1D	50	IP42 sealing
177672	Wired USB	CCD	Long Range	500 mm Scan Depth	10,000	1D	500	
460835	Wired USB	CCD	Long Range	500 mm Scan Depth	30,000	1D	500	
178433	Wired USB	CCD	Long Range	500 mm Scan Depth	100,000	1D	500	IP54 sealing
177603	Wired USB	Laser	Medium Range	430 mm Scan Depth	100,000	1D & 2D	200	
178495	Wireless	CCD	Long Range	500 mm Scan Depth	100,000	1D	500	
178617	Wireless	CCD	Long Range	500 mm Scan Depth	100,000	1D	500	IP42 sealing



**Not all models read all codes.
Check the specifications on
manhattanproducts.com*



1D

- All UPC/EA/JA
- Code11/26/32
- Code39/93/128
- Interleave 25
- Industrial 25
- Matrix 25
- Codabar
- China Postage
- GS1 Databar
- MSI/Plessey
- LCD 25
- Telepen

2D

- Data Matrix
- PDF 417
- Micro PDF 417
- Maxicode
- QR code
- Aztec
- EAN.UCC composite



Contact CCD Barcode Scanner

[460866] 50 mm Scan Width, USB, up to 200 scans per second



Contact CCD Barcode Scanner

[178488] 60 mm Scan Width, USB, up to 100 scans per second



Contact CCD Barcode Scanner

[401517] 80 mm Scan Width, USB, up to 120 scans per second



Laser Barcode Scanner

[177665] 300 mm Scan Depth, USB, up to 50 scans per second



Laser Barcode Scanner

[177429] 300 mm Scan Depth, USB, up to 50 scans per second, IP42 protection



Long Range CCD Barcode Scanner

[177672] 50 cm Scan Depth, USB, up to 500 scans per second



Long Range CCD Barcode Scanner

[460835] 500 mm Scan Depth, USB, up to 500 scans per second



Linear CCD Barcode Scanner

[178433] 500 mm Scan Depth, USB, up to 500 scans per second, IP54 protection



2D Barcode Scanner

[177603] 430 mm Scan Depth, USB, up to 200 scans per second



Wireless Linear CCD Barcode Scanner

[178495] 500 mm Scan Depth, Wireless technology offers effective range up to 80 m, up to 500 scans per second



Wireless Linear CCD Barcode Scanner

[178617] 500 mm Scan Depth, Wireless technology offers effective range up to 80 m, up to 500 scans per second, IP42 protection



Barcode Scanner Stand

[460842] Gooseneck with base



Hi-Speed USB 2.0 Automatic Sharing Switch

[162005] 1x2 Ports, Dual Control, Auto-Sensing USB 2.0 Type-A to Type-B Switch



1080P 2-Port Mini KVM Switch

[151245] 2-Port USB, Audio Support



1080P 2-Port Compact KVM Switch

[151252] USB, with Cables and Audio Support



1080P 4-Port Compact KVM Switch

[151269] USB, with Cables and Audio Support

1080P 8-Port HDMI KVM Switch

[152785] Eight HDMI and Eight USB-B Ports, Full HD, set of eight USB cables included





SWITCH between different PCs/Tablets/
phone with one single mouse



Dual-Mode Mouse

[179478] Black
[179645] Black & White
Bluetooth® 4.0, 2.4 GHz Wireless,
800/1200/1600 dpi, Three Buttons
With Scroll Wheel



MH3 Classic Optical Desktop Mouse

[177016] USB, Three Buttons with Scroll Wheel, 1000 dpi



Edge Optical USB Mouse

[179423] Gray
[177801] Blue
USB, Wired, Three Buttons with Scroll Wheel, 1000 dpi



Silhouette Optical Mouse

[177658] USB, Three Buttons with Scroll Wheel, 1000 dpi



Performance Wireless Optical Mouse

[177795] USB, Four Buttons with Scroll Wheel, 2000 dpi



Success Wireless Optical Mouse

[179393] Green/Black
[179409] Orange/Black
[179416] Blue/Black
USB, Three Buttons with Scroll Wheel, 1000 dpi



Curve Wireless Optical Mouse

[179294] Blue/Black
[179379] Gray/Black
[179386] Black/Black
USB, Five Button with Scroll Wheel, 1600 dpi



London Notebook Computer Briefcase

[439862] Fits Most Widescreens Up To 12.5"

[439893] Fits Most Widescreens Up To 14.1"

[438889] Fits Most Widescreens Up To 15.6"

[439909] Fits Most Widescreens Up To 17.3"

Top Load



Knappack

[439831] Backpack, Lightweight, Top-Loading, For Laptop Computers Up To 15.6"



Empire Notebook Computer Briefcase

[421560] Top Load, Fits Most Widescreens Up To 17"



Ergonomic Gel Mouse Pad

[427203] Ergonomic Gel Improves comfort and mouse performance



Wrist-Rest Mouse Pad

[434362] Gel material promotes proper hand and wrist position



Wrist-Rest Mouse Pad

[434386] Gel material promotes proper hand and wrist position, Blue



Numeric Wired Keypad

[176354] USB, Wired, 18 Full-Size Keys



Stereo Headphones

[177481] Lightweight and adjustable with cushioned earpads



Stereo Headset

[164429] Lightweight design with microphone and in-line volume control



Stereo Headset

[175517] Easily adjustable with flexible microphone boom



Classic Stereo Headset

[175555] Quality audio with flexible microphone boom



2600 Series Speaker System

[161435] Compact design delivers big stereo sound for USB devices





5-Port Fast Ethernet Switch

[\[560672\]](#) Desktop Size, Plastic, IEEE 802.3az (Energy Efficient Ethernet)



5-Port Gigabit Ethernet Switch

[\[560696\]](#) Desktop Size, Plastic, IEEE 802.3az (Energy Efficient Ethernet)




8-Port Fast Ethernet Switch

[\[560689\]](#) Desktop Size, Plastic, IEEE 802.3az (Energy Efficient Ethernet)




8-Port Gigabit Ethernet Switch

[\[560702\]](#) Desktop Size, Plastic, IEEE 802.3az (Energy Efficient Ethernet)




Serial PCI Express Card

[\[152082\]](#) Two DB9 Ports; Fits PCI Express x1, x4, x8 and x16 Lane Buses




Serial PCI Express Card

[\[158152\]](#) One port, x1 lane



Parallel PCI Express Card

[\[152099\]](#) One DB25 port, IEEE 1284; fits PCI Express x1, x4, x8 and x16 lane buses



Parallel PCI Card

[\[158220\]](#) One External DB25 Port



U145 Universal Tool Kit

[530217-U145] Computer Tool Kit, 145 pieces



Basic Computer Tool Kit

[400077] Computer Tool Kit, 13 pieces



Mobile Security Lock

[440240] 1.8 m (6 ft.), Black

[440271] 1.4 m (4.6 ft.) Clear

Key Lock, PVC Jacket



Technician Tool Kit

[530071] Computer Tool Kit, 17 pieces



LCD Cleaning Kit

[421027] Alcohol-free, Includes Cleaning Solution, Brush and Microfiber Cloth, 200 ml (6.75 oz.)



LCD Mini Cleaning Kit

[421010] Alcohol-free, Includes Cleaning Solution, Brush and Microfiber Cloth, 60 ml (2 oz.)



Air Duster

[156141] One 400 ml (13.5 oz.) Can



CPU Thermal Grease

[701662] 1.5 g (0.05 oz.)

BARCODE	PAGE #	BARCODE	PAGE #	BARCODE	PAGE #	BARCODE	PAGE #	BARCODE	PAGE #	BARCODE	PAGE #
100854	59	152587	40	179294	69	317016	41	354141	38	420808	14
100915	51	152600	33	179300	55	317474	41	354295	52	421010	73
100939	50	152648	37	179379	69	317696	30	354301	53	421027	73
101653	50	152662	28	179386	69	317702	30	354318	53	421560	70
101677	50	152679	28	179393	69	317719	30	354332	25	422840	13
101967	51	152709	40	179409	69	317726	30	354394	56	423625	8
101981	50	152716	35	179416	69	317733	30	354400	56	423670	5
101998	50	152723	35	179423	69	317740	30	354639	52	423700	5
102025	51	152747	32	179478	69	317757	30	354646	42	423717	5
102049	51	152785	68	179645	69	317764	30	354653	42	423731	6
102056	62	152808	32	180009	63	322379	53	354660	42	423748	6
102063	62	152846	32	180054	59	322430	53	354677	42	423755	6
102087	59	152907	38	180146	59	322447	53	354714	42	423786	13
102094	59	152914	31	180214	59	322454	53	354837	25	423830	12
102124	60	152921	31	180221	59	322461	37	354868	53	424752	9
102131	59	152938	31	180238	59	322485	38	354875	53	424820	16
102148	59	152945	31	180245	59	322508	38	354882	53	424851	16
102186	61	152952	35	205146	41	322539	27	354899	52	424868	16
102209	61	152969	35	205153	41	322782	29	354905	52	427203	70
102216	62	152983	32	207331	40	322843	64	354912	53	432351	13
102223	60	152990	35	207362	38	323192	27	354929	53	434362	70
102230	60	153188	28	207386	18	323215	27	354936	53	434386	70
102247	60	153195	28	207416	22	323222	27	354950	54	438889	70
102254	63	153201	28	207461	18	323239	27	354967	54	439831	70
102261	63	153218	28	207522	21	323246	27	354974	52	439862	70
102278	58	153225	28	207577	19	323260	27	354981	52	439893	70
130042	43	153232	28	207591	20	323987	55	354998	52	439909	70
130103	44	153249	28	207621	18	324069	55	355223	52	440240	73
130110	44	153270	28	207638	17	324427	27	355230	52	440271	73
130295	43	153287	28	207652	20	324557	28	355247	53	460255	51
130424	44	153294	28	207669	20	324632	28	355247	53	460835	67
130455	43	153300	49	207676	21	324724	28	355285	52	460842	67
130530	43	153317	33	207706	20	324748	28	355308	27	460866	66
130554	60	153324	36	207720	38	324830	28	355322	29	460934	6
150248	55	153348	33	207744	35	325394	53	355346	25	460941	7
150712	53	153355	33	207751	23	325400	53	355353	25	460958	5
150859	36	153416	33	207768	35	325417	53	355360	25	460965	5
150958	55	153423	33	207805	20	325424	53	355377	25	461184	16
151047	41	153430	33	207829	18	325431	53	355414	25	461207	16
151245	68	153447	33	207836	18	325677	55	355421	25	461214	8
151252	68	153454	49	207843	22	325684	55	355438	25	461221	12
151269	68	153461	49	207850	21	328838	29	355445	25	461238	10
151283	41	153478	32	207867	21	328883	39	355452	25	461245	10
151399	37	156141	73	207874	21	333368	54	355469	25	461252	7
151436	37	158152	72	207881	22	333375	54	355483	56	461283	9
151450	37	158220	72	207904	23	333382	54	371131	64	461290	12
151467	37	160605	48	207911	22	333405	54	371179	30	461306	8
151474	38	160612	48	207928	23	333412	54	371803	29	461313	7
151504	39	161039	48	207959	18	335607	30	372107	30	461320	7
151528	37	161053	48	207966	17	336314	55	372183	30	461337	9
151542	37	161411	47	207973	17	336581	41	372190	30	461344	7
151559	37	161435	71	208222	18	337342	30	372503	29	461351	9
151566	41	161572	48	208246	19	337779	54	372510	29	461382	5
151573	55	162005	68	208253	19	338653	55	372527	29	461399	6
151634	39	162302	46	208260	19	339100	64	372978	30	461405	6
151764	27	162579	36	208277	19	340458	54	373685	30	461412	8
151771	31	162746	46	208284	19	340496	55	373708	30	461429	13
151788	31	163552	46	208291	17	340502	55	373715	30	461450	7
151801	41	163590	46	208338	19	340700	64	374507	54	461467	9
151849	41	163606	48	208345	19	342766	64	390781	56	461474	8
151856	41	163767	46	300148	64	345408	54	390842	56	461481	9
151962	39	163828	46	300735	30	349369	64	390866	56	461504	62
151993	39	164405	47	301152	64	353274	27	393737	54	461528	14
152020	31	164429	71	301244	29	353298	53	393744	56	461542	14
152037	31	164887	47	301503	64	353304	54	393751	27	461559	14
152044	31	164894	47	302388	54	353311	54	393768	27	461566	14
152051	31	164900	45	304559	30	353335	54	393775	30	461573	15
152075	32	164924	45	304955	27	353342	53	393782	30	461580	15
152082	72	164931	45	306089	54	353373	52	393799	28	461597	15
152099	72	164948	45	306119	27	353380	52	393805	28	461603	15
152136	28	164955	47	306126	27	353397	52	393812	28	461610	15
152150	28	174947	41	306133	27	353403	39	393829	54	461627	15
152167	28	175517	71	306218	54	353434	56	393836	54	461641	8
152235	27	175555	71	306935	28	353465	37	393843	55	461658	14
152259	36	176354	70	307093	28	353502	37	393850	55	461665	10
152303	36	177016	69	307116	28	353519	37	393874	55	461702	11
152310	36	177344	40	307178	55	353526	52	394185	56	461719	11
152327	36	177429	66	308434	27	353540	52	394192	56	461825	12
152341	36	177481	71	308441	27	353885	54	394208	56	506731	49
152365	55	177603	67	308458	27	353892	54	394291	56	506847	49
152372	32	177658	69	308519	55	353915	54	394307	56	507578	49
152426	40	177665	66	308816	27	353922	27	394314	56	507585	49
152433	44	177672	66	309011	30	353939	27	394321	56	507608	49
152440	32	177795	69	310345	30	353946	27	394338	56	510424	54
152457	29	177801	69	311731	30	353953	27	394345	56	519779	55
152464	28	178433	67	311748	30	353960	27	394352	27	530071	73
152471	28	178488	66	312721	30	353977	27	394369	27	560672	72
152495	44	178495	67	312776	30	354080	25	394376	27	560689	72
152518	41	178617	67	313599	30	354097	25	394406	27	560696	72
152525	41	179027	42	313605	30	354110	28	394413	56	560702	72
152549	38	179195	44	313612	30	354127	28	400077	73	701662	73
152570	38	179225	40	313629	30	354134	28	401517	66	530217-U145	73

Do you need
active and passive
networking components
for SMB applications?





Check out our brand



intellinetnetwork.com



Networking



Intellinet Network Solutions is a trusted manufacturer of both active and passive networking products. Our range of award-winning technologies enables businesses to deliver end-to-end networking solutions, ensuring optimal system efficiency, reliability and security.



manhattanproducts.com



manhattanproducts.com/YT
manhattanproducts.com/FB
manhattanproducts.com/IG

Create a multiple-display setup,
charge your devices and connect all your peripherals



#153478

USB-C 11-in-1 Triple-Monitor Docking Station with MST

Learn more on page 32